








a_e / DC	5 %	10 %	15 %	20 %	25 %	30 %	40 %	50 %	60 %	70 %	75 %	80 %	90 %	100 %
	1.48	1.35	1.27	1.22	1.19	1.16	1.11	1.08	1.05	1.03	1.00	1.00	1.00	1.00
	2.20	1.60	1.35	1.20	1.10	.95	.85	.75	.85	.95	1.00	1.00	1.00	1.00
	.64	.64	.64	.64	.64	.65	.65	.67	.68	.71	.72	.74	.79	1.00

	BNGX 10-M	BNGX 10-MM	BNGX 10-HM		ANHX 10 - F
	.8	.8	.8		2.0
	-	-	-		.92



(mm)		BNGX 10 (HFC)								
DCX		.00	.30	.40	.50	.60	.70	.80	.90	1.00
16		9.40	12.85	13.36	13.80	14.20	14.56	14.88	15.19	15.47
18		11.40	14.85	15.36	15.80	16.20	16.56	16.88	17.19	17.47
20		13.40	16.85	17.36	17.80	18.20	18.56	18.88	19.19	19.47
25		18.40	21.85	22.36	22.80	23.20	23.56	23.88	24.19	24.47
28		21.40	24.85	25.36	25.80	26.20	26.56	26.88	27.19	27.47
32		25.40	28.85	29.36	29.80	30.20	30.56	30.88	31.19	31.47
35		28.40	31.85	32.36	32.80	33.20	33.56	33.88	34.19	34.47
40		33.40	36.85	37.36	37.80	38.20	38.56	38.88	39.19	39.47
42		35.40	38.85	39.36	39.80	40.20	40.56	40.88	41.19	41.47
		.00	.30	.40	.50	.60	.70	.80	.90	1.00
		-	1.30	1.10	.90	.80	.72	.68	.65	.50





BNGX 10		
DCX		f_{max}
16	3.5	.12
18	3.5	.12
20	4.0	.15
25	4.0	.15
28	4.0	.17
32	4.0	.17
35	4.0	.17
40	4.0	.17
42	4.0	.17

BNGX 10 (HFC)			
	.3	.6	1.0
	1.10	.60	.30

BNGX 10 (HFC)		
DCX	RPMX	APMX/I
16	4.0°	1/16
18	4.0°	1/16
20	4.0°	1/16
25	2.8°	1/22
28	2.3°	1/26
32	1.9°	1/32
35	1.7°	1/35
40	1.3°	1/46
42	1.3°	1/46

ANHX 10		
DCX	RPMX	APMX/I
16	1.6°	2.65/100
18	1.3°	2.15/100
20	1.1°	1.80/100
25	.8°	1.25/100
28	.7°	1.10/100
32	.5°	.75/100
35	.5°	.75/100
40	.4°	.55/100
42	.4°	.55/100



BNGX 10 (HFC)		
DCX		f_{max}
16	.4	.15
18	.7	.15
20	.7	.15
25	.7	.15
28	.7	.2
32	.7	.2
35	.7	.2
40	.7	.2
42	.7	.2


BNGX 10 (HFC)				
DCX	DMIN	DMAX		
16	22.4	31.8	.5	.5
18	25.4	35.8	.5	.5
20	29.4	39.8	.5	.5
25	39.4	49.8	.5	.5
28	45.4	55.8	.5	.5
32	53.4	63.8	.5	.5
35	59.4	69.8	.5	.5
40	69.4	79.8	.5	.5
42	73.4	83.8	.5	.5




DCX	μm	3	5	10	15	20	30	40	50	60	80	100
16		.438	.566	.800	.980	1.131	1.386	1.600	1.789	1.960	2.263	2.530
18		.465	.600	.849	1.039	1.200	1.470	1.697	1.897	2.078	2.400	2.683
20		.490	.632	.894	1.095	1.265	1.549	1.789	2.000	2.191	2.530	2.828
25		.548	.707	1.000	1.225	1.414	1.732	2.000	2.236	2.449	2.828	3.162
28		.580	.748	1.058	1.296	1.497	1.833	2.117	2.366	2.592	2.993	3.347
32		.620	.800	1.131	1.386	1.600	1.960	2.263	2.530	2.771	3.200	3.578
35		.648	.837	1.183	1.449	1.673	2.049	2.366	2.646	2.898	3.347	3.742
40		.693	.894	1.265	1.549	1.789	2.191	2.530	2.828	3.098	3.578	4.000
42		.710	.917	1.296	1.587	1.833	2.245	2.592	2.898	3.175	3.666	4.099

ANH10

RE	μm	3	5	10	15	20	30	40	50	60	80	100
2.0		.219	.283	.400	.490	.566	.693	.800	.894	.980	1.131	1.265



	R	T
BNGX 10T308	1.60	.44



	max a_e / DCX
ANHX 10T320	.05