















a_s DCX	5 %	10 %	15 %	20 %	25 %	30 %	40 %	50 %	60 %	70 %	75 %	80 %	90 %	100 %
	1.48	1.35	1.27	1.22	1.19	1.16	1.11	1.08	1.05	1.03	1.00	1.00	1.00	1.00
	2.20	1.60	1.35	1.20	1.10	0.95	0.85	0.75	0.85	0.95	1.00	1.00	1.00	1.00
	0.64	0.64	0.64	0.64	0.64	0.65	0.65	0.67	0.68	0.71	0.72	0.74	0.79	1.00

	BNGX 10-M	BNGX 10-MM	BNGX 10-HM		ANHX 10-F
	0.8	0.8	0.8		2.0
	-	-	-		0.92





BNGX 10 (HFC)



		0.00	0.30	0.40	0.50	0.60	0.70	0.80	0.90	1.00
16		9.40	12.85	13.36	13.80	14.20	14.56	14.88	15.19	15.47
18		11.40	14.85	15.36	15.80	16.20	16.56	16.88	17.19	17.47
20		13.40	16.85	17.36	17.80	18.20	18.56	18.88	19.19	19.47
25		18.40	21.85	22.36	22.80	23.20	23.56	23.88	24.19	24.47
28		21.40	24.85	25.36	25.80	26.20	26.56	26.88	27.19	27.47
32		25.40	28.85	29.36	29.80	30.20	30.56	30.88	31.19	31.47
35		28.40	31.85	32.36	32.80	33.20	33.56	33.88	34.19	34.47
40		33.40	36.85	37.36	37.80	38.20	38.56	38.88	39.19	39.47
42		35.40	38.85	39.36	39.80	40.20	40.56	40.88	41.19	41.47
50		43.98	46.09	46.45	46.82	47.18	47.54	47.90	48.26	48.56
52		45.98	48.09	48.45	48.82	49.18	49.54	49.90	50.26	50.56
66		59.98	62.09	62.45	62.82	63.18	63.54	63.90	64.26	64.56
		0.00	0.30	0.40	0.50	0.60	0.70	0.80	0.90	1.00
		–	1.30	1.10	0.90	0.80	0.72	0.68	0.65	0.50










BNGX 10

		f_{max}
16	3.5	0.12
18	3.5	0.12
20	4.0	0.15
25	4.0	0.15
28	4.0	0.17
32	4.0	0.17
35	4.0	0.17
40	4.0	0.17
42	4.0	0.17
50	4.5	0.30
52	4.5	0.30
66	4.5	0.30



BNGX 10 (HFC)

	0.3	0.6	1.0
	1.10	0.60	0.30




	BNGX 10 (HFC)		ANHX 10	
	RPMX 	APMX/I 	RPMX 	APMX/I 
16	3.8	1/17	1.6°	2.65/100
18	3.8	1/17	1.3°	2.15/100
20	3.8	1/17	1.1°	1.80/100
25	2.6	1/24	0.8°	1.25/100
28	2.2	1/28	0.7°	1.10/100
32	1.8	1/33	0.5°	0.75/100
35	1.6	1/37	0.5°	0.75/100
40	1.3	1/46	0.4°	0.55/100
42	1.3	1/46	0.4°	0.55/100
50	0.4	0.55/100	–	–
52	0.4	0.55/100	–	–
66	0.3	0.4/100	–	–





BNGX 10 (HFC)

		f_{max}
16	0.4	0.15
18	0.7	0.15
20	0.7	0.15
25	0.7	0.15
28	0.7	0.2
32	0.7	0.2
35	0.7	0.2
40	0.7	0.2
42	0.7	0.2
50	0.3	0.2
52	0.3	0.2
66	0.3	0.2



BNGX 10 (HFC)


	DMIN	DMAX		
16	22.4	31.8	0.5	0.5
18	25.4	35.8	0.5	0.5
20	29.4	39.8	0.5	0.5
25	39.4	49.8	0.5	0.5
28	45.4	55.8	0.5	0.5
32	53.4	63.8	0.5	0.5
35	59.4	69.8	0.5	0.5
40	69.4	79.8	0.5	0.5
42	73.4	83.8	0.5	0.5
50	89.6	99.6	0.5	0.5
52	93.6	103.6	0.5	0.5
66	121.6	131.6	0.5	0.5




	μm	3	5	10	15	20	30	40	50	60	80	100
16		0.438	0.566	0.800	0.980	1.131	1.386	1.600	1.789	1.960	2.263	2.530
18		0.465	0.600	0.849	1.039	1.200	1.470	1.697	1.897	2.078	2.400	2.683
20		0.490	0.632	0.894	1.095	1.265	1.549	1.789	2.000	2.191	2.530	2.828
25		0.548	0.707	1.000	1.225	1.414	1.732	2.000	2.236	2.449	2.828	3.162
28		0.580	0.748	1.058	1.296	1.497	1.833	2.117	2.366	2.592	2.993	3.347
32		0.620	0.800	1.131	1.386	1.600	1.960	2.263	2.530	2.771	3.200	3.578
35		0.648	0.837	1.183	1.449	1.673	2.049	2.366	2.646	2.898	3.347	3.742
40		0.693	0.894	1.265	1.549	1.789	2.191	2.530	2.828	3.098	3.578	4.000
42		0.710	0.917	1.296	1.587	1.833	2.245	2.592	2.898	3.175	3.666	4.099

ANHX 10

	μm	3	5	10	15	20	30	40	50	60	80	100
2.0		0.219	0.283	0.400	0.490	0.566	0.693	0.800	0.894	0.980	1.131	1.265



	R	T
BNGX 10T308	1.60	0.44



	max a_e / DCX
ANHX 10T320	0.05