





a_s DC	5%	10%	15%	20%	25%	30%	40%	50%	60%	70%	75%	80%	90%	100%
	1.48	1.35	1.27	1.22	1.19	1.16	1.11	1.08	1.05	1.03	1.00	1.00	1.00	1.00
	2.20	1.60	1.35	1.20	1.10	0.95	0.85	0.75	0.85	0.95	1.00	1.00	1.00	1.00
	0.64	0.64	0.64	0.64	0.64	0.65	0.65	0.67	0.68	0.71	0.72	0.74	0.79	1.00

	LNEX 12-F		LNEX 12-M				
	0.8	1.2	0.8	1.2	1.6	2.0	2.4
	2.25	1.73	2.25	1.73	1.33	1.15	0.79






	2.5
--	-----




	2.0	3.0	4.0	5.0
	0.30	0.20	0.20	0.15

	RPMX	APMX/I
25	0.80°	1.40/100
32	0.60°	1.00/100
40	0.35°	0.60/100
50	0.30°	0.50/100
52	0.30°	0.50/100
63	0.20°	0.35/100

	DMIN	DMAX		
25	44.0	48.0	0.6	0.7
32	58.0	62.0	0.8	1.0
40	74.0	78.0	0.7	0.8
50	94.0	98.0	0.7	0.8
52	98.0	102.0	0.7	0.8
63	120.0	124.0	0.3	0.4



		3	5	10	15	20	30	40	50	60	80	100
25		0.548	0.707	1.000	1.225	1.414	1.732	2.000	2.236	2.449	2.828	3.162
32		0.620	0.800	1.131	1.386	1.600	1.960	2.263	2.530	2.771	3.200	3.578
40		0.693	0.894	1.265	1.549	1.789	2.191	2.530	2.828	3.098	3.578	4.000
50		0.775	1.000	1.414	1.732	2.000	2.449	2.828	3.162	3.464	4.000	4.472
52		0.869	1.122	1.587	1.944	2.245	2.750	3.175	3.550	3.888	4.490	5.020
63		0.980	1.265	1.789	2.191	2.530	3.098	3.578	4.000	4.382	5.060	5.657

		3	5	10	15	20	30	40	50	60	80	100
0.8		0.155	0.200	0.283	0.346	0.400	0.490	0.566	0.632	0.693	0.800	0.894
1.2		0.170	0.219	0.310	0.379	0.438	0.537	0.620	0.693	0.759	0.876	0.980
1.6		0.196	0.253	0.358	0.438	0.506	0.620	0.716	0.800	0.876	1.012	1.131
2.0		0.219	0.283	0.400	0.490	0.566	0.693	0.800	0.894	0.980	1.131	1.265
2.4		0.245	0.316	0.447	0.548	0.632	0.775	0.894	1.000	1.095	1.265	1.414